



Bid Number/बोली क्रमांक (बिड संख्या):  
GEM/2025/B/6280966  
Dated/दिनांक : 02-06-2025

### Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
<b>Bid End Date/Time/बिड बंद होने की तारीख/समय</b>	23-06-2025 17:00:00
<b>Bid Opening Date/Time/बिड खुलने की तारीख/समय</b>	23-06-2025 17:30:00
<b>Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)</b>	150 (Days)
<b>Ministry/State Name/मंत्रालय/राज्य का नाम</b>	Rajasthan
<b>Department Name/विभाग का नाम</b>	Medical Health And Family Welfare Department Rajasthan
<b>Organisation Name/संगठन का नाम</b>	Rajasthan Medical Services Corporation (rpsc)
<b>Office Name/कार्यालय का नाम</b>	Jaipur
<b>क्रेता ईमेल/Buyer Email</b>	edepmrpsc-rj@nic.in
<b>Total Quantity/कुल मात्रा</b>	25
<b>Item Category/मद केटेगरी</b>	Power Generator - DG Set (up to 900 KVA) (Q2)
<b>Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)</b>	85 Lakh (s)
<b>OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)</b>	85 Lakh (s)
<b>Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष</b>	3 Year (s)
<b>MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट</b>	No
<b>Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट</b>	No
<b>Document required from seller/विक्रेता से मांगे गए दस्तावेज़</b>	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC), and other documents as specified in the bid and supporting document *In case any bidder is not eligible for exemption, the signature of the bidder must be obtained by the buyer. Digitally signed by Sandeep Chandra, the signature of Executive Director Date: 2025.06.02 17:52:49 IST Reason: Approved

**Bid Details/बिड विवरण**

<b>Do you want to show documents uploaded by bidders to all bidders participated in bid?/</b>	Yes
<b>Past Performance/विगत प्रदर्शन</b>	10 %
<b>Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया</b>	No
<b>Type of Bid/बिड का प्रकार</b>	Two Packet Bid
<b>Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय</b>	2 Days
<b>Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)</b>	No
<b>Estimated Bid Value/अनुमानित बिड मूल्य</b>	INR 17481700
<b>Evaluation Method/मूल्यांकन पद्धति</b>	Total value wise evaluation
<b>Arbitration Clause</b>	No
<b>Mediation Clause</b>	No

**EMD Detail/ईएमडी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	350000

**ePBG Detail/ईपीबीजी विवरण**

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	42

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

**Beneficiary/लाभार्थी :**

MD

**Signature valid**

Digitally signed by Sandeep Charan  
Designation: Executive Director  
Date: 2025.06.02 12:52:49 IST  
Reason: Approved

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.
5. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

**Excel Upload Required/एक्सेल में अपलोड किए जाने की आवश्यकता :**

Rates of Cable and Exhaust Pipe - [1748410682.xlsx](#)

**Pre Bid Detail(s)**

Pre-Bid Date and Time	Pre-Bid Venue
09-06-2025 11:00:00	AT RMSCL ,HQ, Jaipur

**Signature valid**

Digitally signed by Sanjeev Charan  
Designation : Executive Director  
Date: 2025.06.02 12:52:49 IST  
Reason: Approved

## Power Generator - DG Set (up To 900 KVA) ( 25 pieces )

### Technical Specifications/तकनीकी विशिष्टियाँ

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Power Generator INSTALLATION CONFIGURATIONS	<b>Power Generator installation configurations as defined in CPWD General Specifications for Electrical works - Part VII (DG Set)</b>	Fixed (Power Generators are permanently installed)"
OUTPUT CAPACITY RATING/ PHASE	<b>Nominal Rated Capacity (kVA)</b>	50, 40
ENGINE	<b>Rated Engine Power (kWm)</b>	110 % of the required powered at STP(Standard Temperature Pressure) i.e equal to (Nominal Rated Capacity (KVA) of power generator Any Auxilary power Consumption by the Power generator) x Power factor(0.8) / Alternator effience Or higher
	Type of Engine cooling	Air Cooled, Liquid Cooled
	<b>Type of governer</b>	Mechanical, Electronic Or higher
	<b>Rated RPM of Engine (RPM)</b>	1500
	<b>Fuel</b>	High Speed Diesel (HSD)
ALTERNATOR	<b>Voltage Regulation Grade</b>	VG 3 Or higher
CONTROL PANEL	<b>Control Panel</b>	Manual Control Panel
TRAILER	<b>Trailer</b>	NA for Fixed/Skid Mounted Power Generator
	<b>Pay load of the Trailer</b>	0, 500, 1000, 2000 Or higher ( <b>kilogram</b> )
SCOPE OF INSTALLATION	<b>Installation</b>	with installation - inclusive in the scope of supply Or higher
WARRANTY/SERVICES	<b>Warranty on Complete power genertor/DG Set</b>	24, 36 Or higher ( <b>month</b> )
	<b>Number of preventive maintenance visits offered in an year during warranty period (Supply of all consumables is the buyer's responsibilty)*</b>	3
TEST REPORTS	<b>Test report Available for (Test/approval)</b>	Type Approval Certificate for the specified rating of the Power Generator from any of the designated agency authorized by CPCB, COP Certificate for engine, Type test report and Endurance test report for Engine as per IS: 10001 latest / IS: 10002 latest, Type test report for Alternator as per IS:15364 (Part-1) latest / IS:15364 (Part-2) latest to prove conformity to the specifications

Signature valid

Digitally signed by Sanjeev Charan  
Designation: Executive Director  
Date: 2025.06.02 12:52:49 IST  
Reason: Approved

**Additional Specification Parameters - Power Generator - DG Set (up To 900 KVA) ( 25 pieces )**

Specification Parameter Name	Bid Requirement (Allowed Values)
Technical Specification attached in ATC, Shall be final.	Technical Specification attached in ATC, Shall be final.

\* Bidders offering must also comply with the additional specification parameters mentioned above.

**Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा**

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Sandeep Charan	302005,Rajasthan Medical Services Corporation Ltd. D-Block, Swasthya Bhawan, Tilak Marg, C-Scheme	25	60

**Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें****1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

**2. Turnover**

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

**3. Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the

**Signature valid**

Digitally signed by Sandeep Charan  
Designation: Executive Director  
Date: 2025.06.02 17:52:49 IST  
Reason: Approved

OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

#### 4. OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

#### 5. Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

#### 6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

#### 7. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Rate of Cable and Exhaust pipe must be quoted in Excel file available in bid document with price bid only.

### Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference Reservation Policy.
13. Reference of conditions published on any external site or reference to any external site.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bidder's Approval Auction, as the

Signature valid

Digitally signed by Sandeep Charan  
Designation: Executive Director  
Date: 2025.06.02 17:52:49 IST  
Reason: Approval

case may be.

15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---

Signature valid

Digitally signed by Sandeep Charan  
Designation: Executive Director  
Date: 2025.06.02 12:52:49 IST  
Reason: Approved

<b>Sl. No.</b>	<b>Item Description</b>	<b>Item Code / Make</b>	<b>Approx Qty.</b>	<b>Packing Unit</b>	<b>Net rate per packing unit (In Rs.)</b>	<b>Amount of GST IN %</b>	<b>TOTAL AMOUNT Including Taxes</b>
<b>1</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>4</b>	<b>5</b>		<b>6</b>
1	50 SQ mm 3.5 Core Cable per meter		1	Per Meter			
2	Exhaust Pipe Per Meter		1	Per Meter			

### **Technical specifications of 50 KVA SILENT DIESEL GENERATOR Set**

A. Supply, Installation, Testing & Commissioning of Silent DG Set (**As per CPCB –IV+ emission Norms**) complete with 1500 RPM Diesel Engine of suitable BHP & AC Brush less SPDP Alternator mounted on a common base Frame & coupled through a flexible coupling or close coupled. Alternator shall be self regulated with standard Alternator Protection (Over voltage, over speed & under voltage, under speed warning & shutdown). Engine shall have residential silencer, up to 3 M exhaust piping, electronic / Mechanical governor, Manual & electric Start, Batteries, Engine instruments panel, AVM and with Weatherproof, powder coated Acoustic enclosure for DG set for sound attenuation fabricated from 1.6 to 2.0 mm CRCA sheet steel (structure) with side wall & doors fabricated from 1.6 to 2.0 mm CRCA sheet & filled with **40mm** thick glass wool (96Kg/m<sup>3</sup>)/**20 mm PU Foam** as per latest **CPCB IV+ norms which ever applicable**. All doors/ opening are sealed with neoprene/EPDM gaskets. The enclosure has built in fuel tank, residential silencer with protection and tripping of DG set against temperature of more than 50 degree centigrade.

B. All controls for operation of DG set are visible and accessible from outside the enclosure with DG control panel having Microprocessor based Genset monitoring & control system, MCCB, Ammeter, Voltmeter, PF meter, frequency meter, KWH meter, Ind.lamps etc. mounted inside enclosure. The enclosure should be suitable for following capacity DG sets and alternator. Noise level shall be less than 75 dBA at a distance of 1 Mtrs, duly certified by authorized agency etc. complete in all respect of following capacity.

C. A-Air Cooled & Naturally Aspirated/ Radiatorcooled/Turbo charged-

D. 50 KVA at 0.8 pf 415V 50Hz 3-Ø

E. SITC of Auto main failure (AMF) Panel fabricated from CRCA sheet steel 1.6 to 2 mm Thick, Powder coated finish, Engine Start & Stop commands, control Relays, selector switches based on composite multifunction meter for Ammeter & Voltmeter, Control & Power Contactors, Timers, Electronic Hooter, Visual & Alarm indication for faults, operator interface panel complete in all respect suitable for following capacity DG sets with PLC/Relay Based: 50 KVA

F. S/F of DG Set Exhaust Piping insulation on 80 mm to 150 mm Dia. MS Exhaust Pipe as per CPCB-IV+ norms with Rock/Glass wool with 22 g Aluminium cladding (Density-96 kg/m<sup>3</sup>, Thickness-50 mm)

G. Construction of Platform of Size 3600 x 1800 x 600 mm including earth work, 150 mm thick concreting under masonry wall and C.C. floor, 30 mm thick masonry wall as required as per site condition and 75 mm thick C.C. floor, outer face of wall should be finished with 20 mm thick cement plaster complete with all respect.

H. Plate Earthing as per IS:3043 with copper Earth plate of size 600mm x 600mm x 3.0mm by embodying 3 to 4 mtr. below the ground level with 25 mm dia. G.I. 'B' class watering Pipe Including all accessories like nut, bolts, reducer, nipple, wire meshed funnel, and C.C. finished chamber covered with hinged type with locking arrangement C.L. Cover, C.I. Frame of size 300mm x 300mm complete with alternate layers of salt and coke/charcoal, testing of earth resistance as required. 2 Nos.

I. Maintenance free Gel Earthing with Pipe in pipe/Pipe in strip technology filled with anti corrosive conductive compound (CPRI Tested) below the ground in 150-200 mm dia. earth pit & surrounding filled with required mineral filling compound (MFC should have hygroscopic property to retain the moisture for long time to create low resistance zone) and C.C. finished chamber covered with hinged type with locking arrangement C.I. Cover, C.I. Frame of size 300mm x 300mm complete testing of earth resistance as required. of following sizes. 2 Nos.

With Strip in Pipe Technology with 80- 100 micron GI Coating & GI pipe 2000 mm long, 63/80mm, Inner strip 50 mm x 3 mm copper.

J. S & Laying following size earth wire/strip in horizontal or vertical in ground/surface/recess including riveting, soldering, saddles, making connection etc. as required. 20mm x 3mm copper strip. 40 mts.

K. P/Laying P.V.C. / XLPE insulated & P.V.C. sheathed cable of 1.1 KV grade with aluminum conductor of IS:1554 P-I/ IS :7098 PI of Group 1 of approved make. The cables laid on surface by means of screws, rag bolts, MSU clamps, as per approved spacing. 50.0 Sq.mm 3.5 core (armoured). 40 mts.

L. The length of exhaust pipe up to 3 mtr is included in quoted rate if length beyond 3 mtr is required as per site, then the bidder should quote rates per mtr basis as per specification mentioned.

M. P&F on load change over switch, front handle operated, four pole 415 V conforming to IS:13947 P-III including

connections, testing etc. as required in the following rating: With sheet steel enclosure: 125 A 50.0 Sq mm 3.5 Core Armoured Cable (If requires more than 40 mts. of length bidder should quote cable rate per meter.) All wiring should be in copper except specified.

N. Connection with the existing electrical panel shall be done by the Firm.

O. The Bidder Should Quote rate per mtr. In BOQ for 50 SQ mm 3.5 Core Cable and Exhaust Pipe as per specification mentioned.

P. The firm should submit valid type of approved certificate with authorization from CPC/PCB following are the mandatory required certification:-

- (i) Type of approval/COP data for emission compliance of diesel generator from ARAVICAT/VRDE.
- (ii) Type of approval/COP data for noise compliance of diesel generator from FCRI/ARAI/NAL/ICAT.

Q. Onsite maintenance of the whole work/product shall be 5 years from Completion of guarantee (CMC)

R. Complete work shall be carried out by the manufacturer.

S. Guarantee shall be given by principal manufacturer/authorized dealer/executing agency of the product and allied installation work for the period of 2 years from the date of installation. Bidder should mention guarantee/Service provider.

T. Comprehensive Maintenance Service: CMC will be given @ 3% of net rate excluding GST (as applicable) and yearly escalation of 5 % on last year's CMC price. The CMC may be awarded for five years (on yearly basis) after Guarantee period of two years.

U. During Guarantee and onsite maintenance period consumables like all kind of filters, Engine oil, coolant, fan belt, washers, diesel, distilled water for batteries and hose pipes will be provided by the department as and when required also quarterly inspection and two services/year will be provided by the manufacturer free of cost. Pre-Dispatch and Post Installation Inspection will be done by nominated Committee.

## **Terms & Conditions**

1. The EMD shall be 2% of the bid value. The EMD shall be deposited in the form of DD/Banker cheque. The firms, which are registered as MSMEs / sick industries of Rajasthan, shall be required to deposit EMD, as applicable under the RTPP Act & rules. Bank Details:  
Name of Bank: Bank of Maharashtra
2. Branch Name: MI Road
3. A/C number & Name: 60460019022 & Rajasthan Medical Services Corporation Limited
4. IFSC: MAHB0000389.

5. Successful bidders, whose offers are accepted, will have to deposit performance security @5% of the value of the indicative quantity (including GST) in the bid for each goods in favor of M.D., Rajasthan Medical Services Corporation Ltd., Jaipur at the time of agreement. The Performance Security shall be deposited in the form of DD/Banker cheque/ BG. However, the Bank Guarantee shall be for a validity period of 6 months, beyond the Guarantee period sought for the goods. The firms, which are registered as MSMEs / sick industries of Rajasthan, shall be required to deposit performance security, as applicable under the rules.

6. Consignee shall be shared at the time of issuing purchase order.
7. The technical specification attached in ATC, shall be final.
8. Demonstration of quoted product is must for final approval.
9. RTPP Act 2012 & Rule 2013 shall be applicable.
10. No interest shall be payable to the firm on outstanding payments.

11. Bidder shall be installed and commissioned the equipment at the consignee free of cost 8. Price Fall Clause: The prices under rate contract shall be subject to price fall clause. The prices charged for the store supplies under the contract by successful bidder shall in no event exceed the lowest price at which the successful bidder sells the stores of identical description to any other persons during the period of the contract in the state of Rajasthan. If any time, during the period of the contract, the bidder reduces the sales price chargeable under the contract, he shall forth with notify such reduction to M.D., RMS CL, Jaipur and the price payable under the contract for the stores supplied after the date of coming into force of such reduction or sale shall stand reduced correspondingly. It imply that if the rate contract holder quotes/ reduces its price to render similar goods at a price lower than the rate contract price to anyone in t he State at any time during the currency of rate agreement/ contract including extension period, the rate contract price shall be automatically reduced with effect from the date of reducing or quoting lower price for all delivery of subject matter of procurement under rate contract and the rate contract shall be amended accordingly. The firms holding parallel rate contract shall also reduce their price. Firms shall notify their reduced price and intimate their acceptance to the revised price within 15 days time to M.D./ ED (EPM), RMSCL. Similarly, if parallel rate contract holding firm reduces its price during currency of the rate contract, its reduced price shall be conveyed to other parallel rate contract holding firms and the original rate contract holding firms f or corresponding reduction in their prices. If any rate contract holding firm does not agree to reduce price, further transaction with it, shall not be conducted. If the prices of goods/goods under rate contract, falls in open market and procuring entity is of the opinion that rate has to be revised in the interest of the Government, he shall constitute a committee to review the prices. On the recommendations of committee, rates of the goods under rate contract shall be revised with the mutual agreement with rate contract for the pro curing entity holder firm/firms. Provisions of Price Fall clause shall

also be applicable during extended period and/ or additional quantity ordered. Provisions of Price Fall clause shall also be applicable if rate received and/ or approved, in the freshly invited bid are lower for the goods under procurement.

12. Conflict of Interest:- The Bidder participating in a bidding process must not have a conflict of interest. A conflict of interest is considered to be a situation in which a party has interests that could improperly influence that party's performance of official duties or responsibilities, contractual obligations, or compliance with applicable laws and regulations. A Bidder may be considered to be in conflict of interest with one or more parties in bidding process if, including but not limited to: a. Have controlling partners/shareholders in common; or b. Receive or have received any direct or indirect subsidy from any of them; or c. Have the same legal representative for purposes of the Bid; or d. Have a relationship with each other, directly or through common third parties, that puts them in a position to have access to information about or influence on the Bid of another Bidder, or influence the decisions of the Procuring Entity regarding the bidding process; or e. The Bidder participates in more than one Bid in a bidding process. Participation by a Bidder in more than one Bid will result in the disqualification of all Bids in which the Bidder is involved. However, this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or f. The Bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specification of the Goods, Works or Services that are the subject of the Bid; or Bidder or any of its affiliates has been hired (or is proposed to be hired) by the Procuring Entity as engineer-incharge/ consultant for the contract.