



Noise Quality Bulletin of Rajasthan State in June-2024



In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of June-2024 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial, and Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 178 different locations in 36 cities in Rajasthan.

S.No	Name of city	Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road	Commercial	75	73
2		In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	71	64
3		Govt. Satellite Hospital, Adarsh Nagar	Silence	67	57
4		In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	71	59
5	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	68.6	60.2
6		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	55	47.2
7		Hope Circus, Tehsil & Distt Alwar	Commercial	66.7	59.6
8		General Hospital (Rajiv Gandhi Hospital),	Silence	64.9	54.3

RajKaj Ref
8634636

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.07.05 12:46:12 IST
Reason: Approved





Noise Quality Bulletin of Rajasthan State in June-2024



9	Balotra	Jeetmal Harish Kumar Upper Primary School No.02, KhedRoad,Balotra.	Silence	60.2	48.6
10		RO RSPCB Office Jasol Fanta,Balotra.	Residential	57	53.8
11		Ghanta Ghar (well tower) Railway Station Road,Balotra.	Commercial	74.9	72.6
12		CETP Balotra, Khed Road, Balotra.	Industrial	58.6	53.3
13		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	62.8	59.3
14	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	60.8	57.6
15		Kushalbagh Maidan, Near Police Thana,	Commercial	63.8	61.4
16		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	67.4	52.3
17		Nr. Main Gate Mahatma Gandhi Hospital	Silence	57.3	52.7
18		Nootan High Secondry School, Banswara	Silence	56.8	49.7
19	Baran	RIICO Office, Baran	Industrial	65.3	64.2
20		Circuit House	Residential	52.2	49.2
21		Government Hospital	Silence	68.7	64.3
22		PWD Office	Commercial	71.3	67.3
23		Fire Station,Baran-Kota Road,Baran	Commercial	70.9	68.4
24	Barmer	Govt. Hospital, Barmer	Silence	59.9	55.5
25		Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer	Residential	61.3	55.6
26		Near Railway Station Road Market, Barmer	Commercial	69.8	67.5
27		Near RSMM Office, RIICO Industrial Area, Barmer	Industrial	63.6	52.9
28		Mahatma Gandhi Sr. Sec. School, Station Road , Barmer	Residential	54.4	52.6

RajKaj Ref
8634636

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.07.05 12:46:12 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in June-2024



29	Bharatpur	Regional office RSPCB, SPM Nagar, Behind Jindal Hospital, Tehsil & Distt.-Bharatpur	Residential	58.6	40.1
30		Khadi Grammoday Samiti Office, Tehsil & Distt.-Bharatpur	Commercial	72.8	46.5
31		RIICO Regional Office, Brij Industrial Area, Tehsil & Distt.-Bharatpur	Industrial	70.6	44.3
32		Govt. Hospital (Raj Bahadur Hospital), Tehsil & Distt.-Bharatpur	Silence	70.1	42.6
33		Master Adityendra Govt. Sr. Sec. School, Tehsil & Distt.-Bharatpur	Silence	65.6	42.1
34	Bhilwara	RIICO Industrial Area, Pur Road, Bhilwara	Industrial	66.1	59.2
35		Azad Nagar, Sector - C, Bhilwara	Residential	57.6	42.7
36		Suchana Kendra, Bhilwara	Commercial	69.8	64.8
37		Mahatma Gandhi Hospital, Bhilwara	Silence	62.2	54.7
38		Kumbha Circle, Bhilwara	Commercial	73.4	69.1
39	Bhiwadi	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-KhairthalTijara	Residential	66.3	41.2
40		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal Tijara	Silence	70.5	42.8
41		Central Market, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Commercial	72.2	61.6
42		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara & Distt-Alwar	Residential	70.8	43
43		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	73.3	42.2
44	Bikaner	Regional office, RSPCB	Industrial	57.7	61
45		Junagarh Circle	Commercial	69.4	66
46		IGNP Colony, Ganganagar Road	Residential	54.2	49.4
47		P.B.M. Hospital	Silence	57.6	50.2
48		Kanta Kathuriya Colony	Residential	54.4	51.2

RajKaj Ref
8634636

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.07.05 12:46:12 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in June-2024



49	Bundi	Civil lines	Residential	62.3	62.9
50		DIC Office	Industrial	58.1	53.4
51		Government Hospital	Silence	58.1	64.2
52		Nagar Parishad	Commercial	62.2	70.1
53		Power House, BCR Industrial Area	Industrial	63.1	62.1
54	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	70	62.5
55		Gol PyauChauraha Chittorgarh	Commercial	72.9	59.3
56		Kumbha Nagar, near Home Guard Office	Residential	68.4	56.6
57		District Hospital Chittorgarh	Silence	65	56.3
58	Shahid Major Natwar Singh Sec. Sr. School,	Silence	60	52.5	
59	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	71	66.9
60		Park inside Housing Board, Churu	Residential	67.6	61
61		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	66.9	63.3
62		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	68.6	57.3
63		Near Indramani Park, Churu	Commercial	77.8	65.3
64	Dausa	Ramkarn Joshi Govt.HospitalDausa	Silence	62.7	57
57.8		Indra Colony, Dausa	Residential	60.9	57.9
66		RIICO Area (Near Hotel Shyam Vilash),	Industrial	57.1	50.9
67		Old Bus Stand, Dausa	Commercial	73.9	68.2
68	Dholpur	Circuit House, Near Mittal Colony, Tehsil& Distt.-Dholpur	Residential	64.4	40.8
69		RIICO Office Building, Old Industrial Area, OdelaRoad, Tehsil& Distt.-Dholpur	Industrial	68.4	41.4
70		Nagar Parishad Office, Ghantaghar Road, Tehsil &Distt.-Dholpur	Commercial	69.4	41.2
71		Govt. General Hospital, Tehsil &Distt.-Dholpur	Silence	70.4	40.8
72		Govt. Sr. Sec. School, Tehsil &Distt.-Dholpur	Silence	68.1	40.4

RajKaj Ref
8634636

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.07.05 12:46:12 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in June-2024



73	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	59.4	53.2
74		RIICO Office, Dungarpur	Commercial	60.7	55.8
75		Near Jain Mandir, Pragatinagar, New Colony,	Residential	64.3	49.7
76		Sh. Haridev Joshi Hospital, Dungarpur	Silence	55.3	45.9
77		Gap Sagar pal, Dungarpur	Commercial	69.3	62.6
78	Hanumangarh	Near RIICO Office,RIICO Industrial Area	Industrial	61.9	58.3
79		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	60.9	55.9
80		Children Park, Durga Colony Ganganagar Road	Residential	70.5	59.4
81		Near Main Bus Stand, Hanumangarh Jn.	Commercial	62.6	58.4
82		Near Bombay Hospital,Hanumangarh	Silence	61.5	58.2
83	Jaipur	Garden Behind Governor House, Civil Lines	Silence	62.8	59.7
84		SantokbaDurlabhji Memorial Hospital (near OPD)	Silence	68.8	62.2
85		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	59.2	57
86		Science Park, Shastri Nagar	Residential	75.2	76.5
87		Gali No. 3, Raja Park	Commercial	62.2	66
88		Near Kotwali Thana, Chhoti Choupar	Commercial	72.4	72.8
89		Rooftop of Regional Office,RPCB,VKIA,Jaipur(North)	Industrial	68.2	68.1
90	RIICO Sitapura Office,RIICO Industrial Area,Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	62.4	61.1	
91	Jaisalmer	RIICO Industrial Area, ShilapGram,Jaisalmer	Industrial	63.7	56.8
92		Near Gandhi darshan,Hanuman Circle ,Jaisalmer	Commercial	60.8	55.6
93		Tikaram Paliwal Park,Jaisalmer	Residential	56.1	49.1
94		Near Jawahar hospital,Jaisalmer	Silence	48.1	41.9
95	Jalore	Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	64.6	59.2
96		Govt. Hospital, Jalore	Silence	67	51.4
97		Near Sr. Citizen Park Sivaji Nagar, Jalore	Residential	49.5	56.1
98		Bus Stand, Jalore	Commercial	64.7	55.2
99		Circuit House Jalore (CAAQMS Site)	Commercial	46.9	58.7

RajKaj Ref
8634636

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.07.05 12:46:12 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in June-2024



100	Jhalawar	RIICO, Near Office building	Industrial	63.2	58.5
101		Civil Lines, Near collectorate bungalow	Residential	59.1	49.4
102		Medical College, Near dean college	Silence	61.3	59.6
103		Veterinary Polyclinic, Near office building	Commercial	69.5	60.2
104		Bus Stand, Jhalawar	Commercial	69.8	62.9
105	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	74.1	67.5
106		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	56.2	57.8
107		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	68.2	63.4
108		Near Mahindra Motors Pvt. Ltd. RIICO Industrial Area Phase II, Jhunjhunu	Industrial	67.5	53.8
109		Near Peeru Singh Circle, Jhunjhunu	Commercial	74.2	62.5
110	Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	57.7	53.4
111		Sojati Gate, Jodhpur	Commercial	76.9	73.1
112		BJS Colony, Near Soil conversion, Paota	Residential	59.6	54.8
113		Mathura Das Mathur Hospital, Shastri Nagar Jodhpur	Silence	72.6	66.7
114	Karauli	Circuit House, Ganesh Colony	Residential	57.6	50.7
115		District Industries Centre, Near Gad kaki Chowki	Industrial	60.9	51.1
116		Public Works Department Office, Near CollectrateChauraha, Teh&Distt.-Karauli	Commercial	59.9	51.5
117		Govt. General Hospital, Teh&Distt.-Karauli	Silence	66.9	57.1
118		Fire Station near private Bus Stand (CAAQMS Site)	Commercial	67.2	55.9
119	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	61.4	56.4
120		Civil Lines, Nayaura, Kota, Tesil-Ladpura,	Residential	65.5	52.3
121		Police Chowki, Gumanpura, Tesil-Ladpura,	Commercial	72	67.8
122		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	65.3	53.9
123		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	67.4	60.3

RajKaj Ref
8634636

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.07.05 12:46:12 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in June-2024



124	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	57.9	50.5
125		Gandhi Chowk, Nagaur	Commercial	75.1	59.2
126		In front of M/s Shubh Laxmi Oil Industries, Ploi No. 40-44, RIICO Industrial Area	Industrial	70.1	56.6
127		Near Gate of J.L.N. District Hospital, Nagaur	Silence	52.5	51.1
128		Govt. Sen Sec. School, Rathori Kuan, Nagaur (CAAQMS Site)	Residential	52.9	47.3
129	Pali	Near main gate of RSPCB	Industrial	59.8	60.8
130		At Bangur Hospital	Silence	63.6	55.3
131		At Circuit House	Residential	53.9	56.6
132		Near Town Hall, Nagar Parishad	Commercial	61	56.8
133		Bangur College (CAAQMS Site)	Silence	53.2	53.6
134	Pratapgarh	Bagwas Industrial Area	Industrial	63.6	58.3
135		Nagar Parishad Gate	Commercial	75.1	72.5
136		Bada Bagh Colony	Residential	60.4	59.8
137		District Hospital Pratapgarh	Silence	53.8	50.4
138		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	62.1	65.1
139	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	61.1	63.0
140		Kalalwati, Rajnagar	Residential	81.6	68.5
141		Krishna Nagar, Near Vidya Niketan School	Silence	55.1	53.5
142		Bus stand, Kankroli	Commercial	60.3	62.4
143		R.K. Hospital	Silence	56.7	47.4
144	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	59.2	54.8
145		RIICO Office Building, Kherda Industrial Area	Industrial	59	56.5
146		Head Post Office building & Passport Sewa Kendra	Commercial	65.7	60.6
147		Govt. General Hospital	Silence	62.8	62.1
148		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	52.5	55.7

RajKaj Ref
8634636

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.07.05 12:46:12 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in June-2024



149	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	60.1	55.7
150		Near OPD Block, Sri KalayanHospital, Sikar	Silence	66.2	61.1
151		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	70.8	68.7
152		Near RIICO Office, RIICO Ind. Area, Sikar	Industrial	61.7	57.4
153		Near Municipal Council Office, Sikar	Commercial	71.2	63.9
154	Sirohi	RIICO Industrial Area	Industrial	65.5	55.6
155		District Hospital	Silence	59.6	49.9
156		Near Collector House, Sirohi	Residential	56.3	49
157		Commercial area, near roadways bus stand, Sirohi	Commercial	62.6	55.2
158		Govt.Sr. Sec. School (CAAQMS Site)	Residential	46.9	39.9
159	Sriganganagar	Near RIICO Office,Udyog Vihar Ind. Area	Industrial	63	60.8
160		Govt. Sr. Sec. School, Multipurpose	Residential	59.8	53.9
161		Gandhi Park, D Block	Residential	61.3	56.5
162		Ambedkar Circle, Sriganganagar	Commercial	59.3	51.4
163		Govt. Hospital, Suratgarh Road	Silence	61	54.4
164	Tijara city	Rajasthan State Path Parivahan Nigam, Central Bus Stand, Tijara.	Commercial	71.5	61.2
165		Government Common Health Centre, Tijara.	Silence	66.6	42
166		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	72.8	43
167		Government Senior Secondary School, Tijara,	Residential	70.3	41.2
168		Chandralok City, Tijara, Tehsil-Tijara	Residential	69.5	42.5
169	Tonk	In Front of M/s Kamal Industries, G-44,RIICO Industrial Area, Tonk	Industrial	63.2	56.3
170		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	70.4	61.1
171		Near Mahila Poilce Station, Barudkhana, Tonk	Residential	63.5	58.5
172		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	72.1	64.1
173		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	71.6	57.3

RajKaj Ref
8634636

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.07.05 12:46:12 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in June-2024



174	Udaipur	Nagar Nigam office, Town Hall	Commercial	75.8	62.8
175		MB Hospital	Silence	67.8	56.1
176		Satellite Hospital, In front of police station, Ambamata Scheme, Udaipur	Residential	72.1	59.1
177		BSNL Head office, Sector 4, Hiran Magri	Residential	74.8	63.1
178		RO office, F-470 Near UCCI, MIA, Madri,	Industrial	67.8	69.2

Note: - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.
ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise			
Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

RajKaj Ref
8634636

Signature valid

Digitally signed by N. V. Jai
Designation: Member Secretary
Date: 2024.07.05 12:46:12 IST
Reason: Approved