



Noise Quality Bulletin of Rajasthan State in February-2024

In order to assess the impact of predominating noise level in Rajasthan State under the provisions of Noise Pollution (Regulation & Control) Rules, 2000, Rajasthan State Pollution Control Board conducts study on Noise level Monitoring in state throughout the year. This monthly bulletin is a compilation of results of February-2024 of the State.

The noise level Monitoring was conducted day time (6.00 a.m. to 10.00 p.m.) and night time (10.00 p.m. to 6.00 a.m.) for half hour interval at each location with sampling frequency of one second.

In order to maintain uniformity in monitoring Residential, Commercial, and Industrial and Silence zone were selected in respect of Noise Standards prescribed under the provisions of Noise Pollution (Regulation & Control) Rules, 2000. The monitoring network consisted of a total 163 different locations in 33 cities in Rajasthan.

S.No	Name of city	Name / Point of locations	Zone	Leq (dB)	
				Day time	Night time
1	Ajmer	Near Union Bank of India, Shrinagar Road	Commercial	72.2	68.1
2		In Front of Mr. Tara Chand Solonki, Anand Puri, Dhola Bhata	Residential	58.3	67.4
3		Govt. Satellite Hospital, Adarsh Nagar	Silence	68	62
4		In Front of M/s Shree Balaji Machine Tool, RIICO Industrial Area, Parbatpura-Makhupura, Dist Ajmer	Industrial	68.3	66
5	Sawai Madhopur	Circuit House, Near Housing Board Colony	Residential	63.3	57.6
6		RIICO Office Building, Kherda Industrial Area	Industrial	62.6	59
7		Head Post Office building & Passport Sewa Kendra	Commercial	66.1	58.2
8		Govt. General Hospital	Silence	60.7	57.5
9		Mahatma Gandhi Govt. School, Sahu Nagar (CAAQMS Site)	Silence	58.4	53.2
10	Karauli	Circuit House, Ganesh Colony	Residential	62.5	58.3
11		District Industries Centre, Near Gad kaki Chowki	Industrial	65.3	57.1
12		Public Works Department Office, Near Collectrate Chauraha, Teh&Distt.-Karauli	Commercial	58.1	55.7
13		Govt. General Hospital, Teh&Distt.-Karauli	Silence	62.8	54.5
14		Fire Station near private Bus Stand (CAAQMS Site)	Commercial	64.6	58.2
15	Tijara city	Rajasthan State Path Parivahan Nigam, Ref 5562305 Central Bus Stand, Tijara, Tehsil-Tijara	Commercial	72.3	61.8

Validity unknown Signature valid

Digitally signed by N. Jai
Designation: Member Secretary
Date: 2024.02.28 14:40:43 IST
Reason: Approved





Noise Quality Bulletin of Rajasthan State in February-2024

16		Distt-Khairthal, Tijara			
		Government Common Health Centre, Tijara, Tehsil-Tijara& Distt-Khairthal, Tijara	Silence	64.4	42.3
17		Nagar Palika, Tijara, Tehsil-Tijara	Commercial	71.8	43.5
18		Government Senior Secondary School, Tijara,	Residential	68.3	43.1
19		Chandralok City, Tijara, Tehsil-Tijara	Residential	69.5	42.4
20	Jhalawar	RIICO, Near Office building	Industrial	64.1	59.4
21		Civil Lines, Near collectratebunglow	Residential	54.1	50.2
22		Medical College, Near dean college	Silence	61.8	56.3
23		Veterinary Polyclinic, Near office building	Commercial	70.4	66.1
24		Bus Stand, Jhalawar	Commercial	72	69.7
25	Baran	RIICO Office, Baran	Industrial	66.4	55.3
26		Circuit House	Residential	64.9	47.4
27		Government Hospital	Silence	66.8	62.4
28		PWD Office	Commercial	75	68.1
29		Fire Station,Baran-Kota Road,Baran	Commercial	72.7	64.3
30	Nagaur	In front of house of Sh Chetan Ram Choudhary, 2/485, Housing Board Colony	Residential	49.7	40.7
31		Gandhi Chowk, Nagaur	Commercial	75.5	51.2
32		In front of M/s Shubh Laxmi Oil Industries, Ploi No. 40-44, RIICO Industrial Aear	Industrial	61.4	59.2
33		Near Gate of J.L.N. District Hospital, Nagaur	Silence	47.8	44.7
34		Govt. Sen Sec. School, Rathori Kuan, Nagaur (CAAQMS Site)	Residential	64.6	ND
35	Bundi	Civil lines	Residential	55.3	50.2
36		DIC Office	Industrial	58.8	53.5
37		Government Hospital	Silence	59.3	56.8
38		Nagar Parishad	Commercial	68.4	61.4
39		Power House, BCR Industrial Area	Industrial	63.4	59.2
40	Tonk	In Front of M/s Kamal Industries, G-44,RIICO Industrial Area, Tonk	Industrial	67.2	60.5
41		In Front of Shop of M/s Mahesh Kumar Naresh Kumar Bhagat, Subhash Chauk, Tonk	Commercial	69.5	60.5
42		Near Mahila Poilce Station, Barudkhana, Tonk	Residential	60.2	51.5
43		Near Main Gate of Sahadat Govt. Hospital, Tonk	Silence	60.5	59.6
44		Govt. Senior Secondary School, Kothi Nathman, Tonk (CAAQMS Site)	Commercial	56.4	48.5
45	Banswara	Thikariya Industrial Area, Nr. Mayur Flooring Pvt. Ltd. Banswara	Industrial	71.4	62.2
46		Kushalbagh Maidan, Near Police Thana	Commercial	74.3	62.7



Noise Quality Bulletin of Rajasthan State in February-2024

47		Housing Board Colony Near Hotel RARA Avis Hotel, Pratap Circle, Banswara	Residential	54.5	41.5
48		Nr. Main Gate Mahatma Gandhi Hospital	Silence	54	39.4
49		Nootan High Secondry School, Banswara	Silence	52.8	38
50	Dungarpur	Near Brahamasthali Colony, Dungarpur	Residential	58	50.4
51		RIICO Office, Dungarpur	Commercial	66.1	60.7
52		Near Jain Mandir, Pragatinagar, New Colony,	Residential	56	48.1
53		Sh. Haridev Joshi Hospital, Dungarpur	Silence	58.3	50.9
54		Gap Sagar pal, Dungarpur	Commercial	64.2	54.2
55	Alwar	Assistant Regional Office, RIICO Ltd., Matsya Industrial Area, Tehsil & Distt Alwar	Industrial	66.4	53.6
56		Regional Office RSPCB, D-Block Ambedkar Nagar, Tehsil & Distt Alwar	Residential	49.4	40.8
57		Hope Circus, Tehsil & Distt Alwar	Commercial	69.6	60.5
58		General Hospital (Rajiv Gandhi Hospital),	Silence	62.3	54.5
59	Chittorgarh	RIICO Area Chanderiya Chittorgarh	Industrial	67	62.4
60		Gol PyauChauraha Chittorgarh	Commercial	72.7	67.1
61		Kumbha Nagar, near Home Guard Office	Residential	65	53.5
62		District Hospital Chittorgarh	Silence	63.7	57.5
63		Shahid Major Natwar Singh Sec. Sr. School,	Silence	57.7	57.1
64	Pratapgarh	Bagwas Industrial Area	Industrial	72.1	60.1
65		Nagar Parishad Gate	Commercial	74.3	62.7
66		Bada Bagh Colony	Residential	65.8	55.6
67		District Hospital Pratapgarh	Silence	60.5	51
68		Govt. High Secondary School, Near Neemuch Naka, Pratapgarh	Silence	62.9	52
69	Pali	Near main gate of RSPCB	Industrial	62.9	54.3
70		At Bangur Hospital	Silence	56.5	51.1
71		At Circuit House	Residential	56.2	52.4
72		Near Town Hall, Nagar Parishad	Commercial	66.8	61.3
73		Bangur College (CAAQMS Site)	Silence	58.3	57.6
74	Sirohi	RIICO Industrial Area	Industrial	58.8	57.2
75		District Hospital	Silence	60.5	56.1
76		Near Collector House, Sirohi	Residential	56.3	61.2
77		Commercial area, near roadways bus stand, Sirohi	Commercial	60	60
78		Govt. Sr. Sec. School (CAAQMS Site)	Residential	50	56.2
79	Jalore	Near GSS, 3rd Phase RIICO Industrial Area, Jalore	Industrial	73.8	74.7
80		Govt. Hospital, Jalore	Silence	60.9	60.9
81		Near Sr. Citizen Park Sivaji Nagar, Jalore	Residential	59.7	56.1



Noise Quality Bulletin of Rajasthan State in February-2024

82		Bus Stand, Jalore	Commercial	66.3	64.2	
83		Circuit House Jalore (CAAQMS Site)	Commercial	57.8	57.5	
84	Jaipur	Garden Behind Governor House, Civil Lines	Silence	62.7	66.1	
85		SantokbaDurlabhji Memorial Hospital (near OPD)	Silence	71.3	67	
86		Nagar Nigam Office, Patel Marg, Mansarovar	Residential	62.5	59.1	
87		Science Park, Shastri Nagar	Residential	72.9	71.2	
88		Gali No. 3, Raja Park	Commercial	75	60.6	
89		Near Kotwali Thana, Chhoti Choupar	Commercial	73.9	72.3	
90		Rooftop of Regional Office,RPCB,VKIA,Jaipur(North)	Industrial	61	67.5	
91		RIICO Sitapura Office,RIICO Industrial Area,Tonk Road, Sitapura, Tehsil-Sanganer	Industrial	67.6	62.5	
92		Dausa	Ramkarn Joshi Govt.HospitalDausa	Silence	54.9	52.3
93			Indra Colony, Dausa	Residential	58.1	49.2
94	RIICO Area (Near Hotel Shyam Vilash),		Industrial	60.2	52.3	
95	Old Bus Stand, Dausa		Commercial	71.9	70.2	
96	Kota	Regional Office, RSPCB, Indraprastha Industrial Area, Kota, Tesil-Ladpura	Industrial	69.5	60.3	
97		Civil Lines,Nayaura, Kota, Tesil-Ladpura,	Residential	62.6	55.9	
98		Police Chowki,Gumanpura, Tesil-Ladpura,	Commercial	69.7	60.9	
99		New Medical College Hospital, Rama Krishna Puram, Kota, Tesil-Ladpura,	Silence	57.9	52.2	
100		Allen Career Institute (Satyarth), Swami Dayanand Saraswati Road, Jawahar Nagar	Commercial	70.2	60.6	
101	Bikaner	Regional office, RSPCB	Industrial	60.3	56.6	
102		Junagarh Circle	Commercial	70.5	68.4	
103		IGNP Colony, Ganganagar Road	Residential	59.6	59	
104		P.B.M. Hospital	Silence	59.4	55.7	
105		Kanta Kathuriya Colony	Residential	57.7	56.5	
106	Hanumangarh	Near RIICO Office,RIICO Industrial Area	Industrial	58.8	46.8	
107		Govt. Girls Sr. Sec. School, Sector-12, Ward No. 13, Hanumangarh Junction	Residential	61.2	40	
108		Children Park, Durga Colony Ganganagar Road	Residential	60.1	45.5	
109		Near Main Bus Stand, Hanumangarh Jn.	Commercial	62.5	43.1	
110		Near Bombay Hospital,Hanumangarh	Silence	55.6	50.7	
111	Sriganganagar	Near RIICO Office,Udyog Vihar Industrial Area	Industrial	62.6	49.1	
112		Govt. Sr. Sec. School, Multipurpose	Residential	55.5	52.2	
113		Gandhi Park, D Block	Residential	59	52.4	
114		Ambedkar Circle, Sriganganagar	Commercial	49.8	48.1	

RajKaj Ref
6563305

Validity: unknown Signature: valid



Noise Quality Bulletin of Rajasthan State in February-2024

115		Govt. Hospital, Suratgarh Road	Silence	55.7	51.5
116	Bhiwadi City	Ashiana Garden Society, Alwar Bye-Pass Road, Bhiwadi, Distt-KhairthalTijara	Residential	60.8	53.3
117		Star Hospital, Bhiwadi, Tehsil-Tijara & Distt-Khairthal Tijara	Silence	61.6	47.4
118		Central Market, Bhiwadi, Tehsil-Tijara& Distt-Alwar	Commercial	72.6	68.5
119		Central Park, UIT Sector-06, Gaurav Path, Bhiwadi, Tehsil-Tijara& Distt-Alwar	Residential	66.2	54.5
120		Harish Bakery, Bhagat Singh Colony, Alwar By Pass Road, Bhiwadi, Distt-Alwar	Commercial	71.3	65.5
121		Barmer	Govt. Hospital, Barmer	Silence	66.6
122	Sabha Bhawan, Mahaveer Nagar Ward No. 4, Barmer		Residential	57.2	52.3
123	Near Railway Station Road Market, Barmer		Commercial	65.8	72.8
124	Near RSMM Office, RIICO Industrial Area, Barmer		Industrial	62.8	60.9
125	Mahatma Gandhi Sr. Sec. School, Station Road, Barmer		Residential	58.9	68.1
126	Balotra		Jeetmal Harish Kumar Upper Primary School No.02, Khed Road Balotra.	Silence	57.3
127		RO RSPCB Office Jasol Fanta Balotra.	Residential	55.9	58.6
128		Ghanta Ghar (well tower) Railway Station Road Balotra.	Commercial	57.1	70
129		CETP Balotra, Khed Road, Balotra.	Industrial	64.9	56.6
130		S. N. Vohra High School, Nakoda Road Jasol, Balotra.	Commercial	56.6	56.1
131		Jodhpur	Regional office, SPCB Jodhpur SPL 2 MIA Basni Ist phase Jodhpur	Industrial	48.4
132	Sojati Gate, Jodhpur		Commercial	72.1	69.8
133	BJS Colony, Near Soil conversion, Paota		Residential	45.3	42.5
134	Mathura Das Mathur Hospital, Shastri Nagar Jodhpur		Silence	55.4	46.8
135	Sikar	Regional Office, RSPCB, Shivsinghpura Housing Board, Nawalgarh Road, Sikar	Residential	57.5	51.6
136		Near OPD Block, Sri KalayanHospital, Sikar	Silence	69.2	62
137		Near Hotel Fortune Blue, Piprali Road, Sikar	Commercial	75.5	64.8
138		Near RIICO Office, RIICO Industrial Area, Jaipur Road, Sikar	Industrial	62.1	55.8
139		Near Municipal Council Office, Sikar	Commercial	69	68.3
140	Jhunjhunu	Subhash Chandra Park, Near Mandawa Mor	Commercial	73	72.2
141		Rajiv Gandhi park, Housing Board, Jhunjhunu	Residential	52.4	53
142		Near Mother & Child care wing, BDK Hospital, Jhunjhunu	Silence	66.6	55.4
143		Near Mahindra Motors Pvt. Ltd. Industrial Area Phase II, Jhunjhunu	Industrial	59.7	57.2

Validity unknown Signature valid

Digitally signed by N. Jai
Designation: Member Secretary
Date: 2024.02.28 10:40:43 IST
Reason: Approved



Noise Quality Bulletin of Rajasthan State in February-2024

144		Near Peeru Singh Circle, Jhunjhunu	Commercial	78.6	70.7
145	Churu	Near Vinayak Complex, Near Pankha Circle	Commercial	72.6	71.2
146		Park inside Housing Board, Churu	Residential	56.7	59.4
147		Near park inside Govt. D.B. General Hospital premises, Churu	Silence	62.5	59.3
148		Near Vishwakarma Laghu Udyog, RIICO Industrial Area, Churu	Industrial	60.4	57.1
149		Near Indramani Park, Churu	Commercial	79.5	68
150	Udaipur	Nagar Nigam office, Town Hall	Commercial	74.4	58.3
151		MB Hospital	Silence	67.3	58.9
152		Satellite Hospital, In front of police station, Ambamata Scheme, Udaipur	Residential	62.4	60.4
153		BSNL Head office, Sector 4, Hiran Magri	Residential	73.4	60.1
154		RO office, F-470 Near UCCI, MIA, Madri,	Industrial	68.4	60.6
155	Jaisalmer	RIICO Industrial Area Shilap Gram, Jaisalmer	Industrial	72.6	62.4
156		Near Gandhi darshan, Hanuman Circle, Jaisalmer	Commercial	74.5	71.2
157		Tikaram Paliwal Park, Jaisalmer	Residential	55.2	49.5
158		Near Jawahar hospital, Jaisalmer	Silence	43.8	38.6
159	Rajsamand	RIICO Industrial area, Dhoinda	Industrial	ND	ND
160		Kalalwati, Rajnagar	Residential	ND	ND
161		Krishna Nagar, Near Vidya Niketan School	Silence	ND	ND
162		Bus stand, Kankroli	Commercial	ND	ND
163		R.K. Hospital	Silence	ND	ND

Note: - Noise Level in Leq dB (A) exceeded the prescribed standards are highlighted in yellow.
ND: - Monitoring not done.

Ambient Air Quality Standards in respect of Noise			
Area Code	Category of Area / Zone	Limits in dB(A) Leq*	
		Day Time	Night Time
(A)	Industrial area	75	70
(B)	Commercial area	65	55
(C)	Residential area	55	45
(D)	Silence Zone	50	40

Validity unknown Signature valid

RajKaj Ref
6563305

Digitally signed by N. Jai
Designation: Member Secretary
Date: 2024.02.27 11:40:43 IST
Reason: Approved